

Lingvanex Bot for Slack User's Guide





Contents

What is Lingvanex for Slack?	3
Description of features	3
Application Roles	3
Running the application	4
Disabling and uninstalling	6
Access to paid subscription for the channel	8
How is the number of translated characters calculated when translating messages?	10
User personal settings	11
Translation of direct messages	12
Translator bot commands	13
Add or change languages	14
FAQ	15
Technical support	16
Machine Translation	17
Contact information	17



What is Lingvanex for Slack?

Communicate with your teammates all around the world, in over 109 languages with this Bot for Slack. It gives you a high-quality automatic translation of messages.

Description of features

The main functionality of the application includes

- Anonymous text translation in a bot
- Automatic message translation in a channel
- Automatic message translation in a thread
- Translation of direct messages
- Translation of messages using bot commands
- One-click message translation

Application Roles

There are three roles in the bot: user, admin (a workspace admin or a workspace owner) and channel creator.

A regular member can use all bot functions except for using the */config-channel-translate* command in a channel, and can also add the bot to a channel, but has no rights to remove the bot from the channel.

The */config-channel-translate* command is used to set languages and automatic translation in the channel. Only the workspace admin, the workspace owner and the channel creator can use it.



Running the application

After installing the bot in a workspace, each member of the workspace will be given access to the Lingvanex Bot for Slack, it can be found in Apps. Each workspace member will have their own anonymous chat with the bot, i.e. no one will have access to your translations. Also in an anonymous chat with the bot all functionality is available, without restrictions.

The workspace admin, the workspace owner, or the channel creator goes to the channel to which you want to add the bot. The bot is added to the channel by entering the *@Lingvanex Translator* command.

Then, using the command /*config-channel-translate*, the languages into which messages in the channel will be translated are added.



After entering the */config-channel-translate* command, a language selection window will appear. This window enables automatic message translation in the current channel. You can also select up to 10 languages into which messages will be translated, and you can also select up to 10 languages to be placed in threads.



Below you can select the source language that is used for communication most often, so the bot will understand from which language to translate messages, but if the channel uses several languages for communication, it is better to leave this field empty. (Note: if the user has set the using the */config-my-translate* command, when translating the bot will prioritize the language selected by the user, rather than the source language set in the channel). The setting must be done for each channel.

To apply the same settings to all channels where the bot is added, use the */config-channel-translate* command. Select the desired channels at the top, then choose the required languages, and save the settings.

Channel Settings	Θ×
Channels to configure	
Direct Messages with Lingvanex Bot $ imes$	
Automatic translation (optional)	
☑ Enable automatic translation in selected channels	
Languages for translation in the channel (attached to the m (optional)	nessage)
You can select up to 10 items.	
English [en] \times	
Languages for translation in threading (optional) You can select up to 10 items.	
Arabic [ar] \times Chinese (Simplified) [zh-Hans] \times	
Select the default source language for the channel (or leave autodetect) (optional)	e empty for
Select language	~
Reset subscription access for the channels	Reset
Close	Submit



Here is an example of the bot's operation after selecting languages, as shown in the previous screenshot. I wrote a message in Japanese and immediately I received a translation in English below the message, and I also got a response from the bot in Spanish and French in thread.

C Q Search Lingvanex T	ranslation Bot	æ ? <mark>못</mark>
☐ # slack-bot-test ~	Q 4 7	Thread # slack-bot-test ×
A set of a set of the		Michael 2 minutes ago こんにちは (edited) hello ja -> en - @Lingvanex Translator
the second	tradig is h	1 reply Lingvanex Dev Slack Bot APP 2 minutes ago Translate: hola
Michael 11:54 こんにちは (edited) hello ja -> en - @Lingvanex Translator		ja -> es - @Lingvanex Translator bonjour ja -> fr - @Lingvanex Translator $B I \Leftrightarrow \varnothing \stackrel{1}{\Rightarrow} \equiv \vdots \equiv \cdots$
		Reply Also send to # slack-bot-test
Message #slack-bot-test + <u>Aa</u> ⓒ @ □ □ ♥ □	> ·	

Disabling and uninstalling

Only the workspace admin, the workspace owner or the channel creator can disable or uninstall the bot from the channel.





To uninstall Lingvanex Translator, follow these steps:

- 1. Select the channel to which the bot has been added
- 2. Right click on it
- 3. Click View channel details
- 4. Click the Integration tab
- 5. In the window that opens, click on Lingvanex Translator
- 6. Click Configuration.
- 7. Scroll to the bottom and click the Remove App button.

‡ slack app directory	Q Search App Directory Browse Manage Build
 ✓ Visit developer website ✓ support@lingvanex.com ▲ Driverventing 	1 authorized member See All
Categories	Search for an authorized user:
Customer Support	a user's email
Brilliant Bots	Search
Communication Sales	
Enterprise-ready apps	
Slack conducts a brief review of apps in our App Directory and does not endorse or certify these apps. If you encounter inappropriate content or behavior please report it. P Report this app	Bot User Bot users are automated user accounts you can message with directly. Lingvanex Translator This bot is in # 101-users,
	Remove App Remove Lingvanex Language Translation Bot from your entire workspace and prevent members of from using it.

To remove a bot from a channel, enter the /remove @Lingvanex Translator command in the channel.

To disable automatic message translation in the channel, enter the */config-channel-translate* command. Afterwards, a window will appear in which you need to disable the *Enable automatic translation of messages in channel* function.



Channel Settings	0 ×
Channels to configure	
Direct Messages with Lingvanex Bot $ imes$	
Automatic translation (optional)	
Enable automatic translation in selected channels	
Languages for translation in the channel (attached to (optional) You can select up to 10 items.	the message)
English [en] \times	
Languages for translation in threading (optional) You can select up to 10 items.	
Arabic [ar] × Chinese (Simplined) [zn-Hans] ×	
Select the default source language for the channel (o autodetect) (optional)	leave empty for
Select language	~
Reset subscription access for the channels	Reset
Clos	e Submit

Access to paid subscription for the channel

The workspace admin, the workspace owner or the channel creator can provide access to their paid subscription (only if they have a subscription) to any channel in the workspace. To do this, the workspace admin, the workspace owner or the channel creator must be authorized in the bot. To authorize in the bot, go to the Lingvanex Translator application, click on the *Log in* button, you will be directed to the browser authorization page, enter your account login and password. Then, enter the */config-channel-translate* command in the channel. After that, a page will open where you need to authorize again (by doing this, you allow access to your subscription).



K Channel Settings	@ ×
Automatic translation (optional)	A
Enable automatic translation in selected	channels
Languages for translation in the channel (at (optional) You can select up to 10 items.	tached to the message)
Belarusian [be] $ imes$ English [en] $ imes$	
Languages for translation in threading (option You can select up to 10 items. Arabic [ar] ×	onal)
Select the default source language for the c autodetect) (optional)	hannel (or leave empty for
Select language	~
Please login to display the "Share" button	Login
Reset subscription access for the channels selected above	Reset
	Close Submit

Immediately after authorization, the subscription will be added to this channel. (If the number of users in the channel is more than the subscription implies, the bot will not work in the channel).

Channel	Settings		٦	×
Enable automatic	translation in sel	ected channe	els	
Languages for transla (optional) You can select up to 1	tion in the chann 10 items.	el (attached	to the message)
Belarusian [be] \times	English [en] $ imes$			
You can select up to 1 Arabic [ar] × Select the default sou autodetect) (optional)	10 items. urce language for	the channel	(or leave empty	for
Select language				~
Share your subscription above	on to the channel	s selected	Share	
Reset subscription ac selected above	cess for the chan	nels	Reset	

If you need to grant access to the subscription for multiple channels at once, enter the */config-channel-translate* command in any channel where the bot is added. Then, at the top, select the channels and follow the same steps described above.



How is the number of translated characters calculated when translating messages?

Each month, workspaces (or enterprises) are given a certain number of free characters for message translation. You can view this allocation on the bot's home page.



When translating messages, the free characters allocated to the workspace (or enterprise) are deducted first. Then, the account is checked for an active subscription. If a subscription is available, the remaining characters will be deducted from the account with the active subscription. If not, a message will be sent indicating that the monthly translation limit has been reached. If a channel has access to an active subscription, all users translating messages in that channel will first use the monthly free translation limit. After that, all message translations will be charged to the connected subscription in that channel.



User personal settings

In order to get the translation immediately under the message, each user who sends messages must be allow the bot to post on his behalf. To do this, enter the */config-my-translate* command in the channel. Then a window will appear, in which you should click the Allow button.



Then, the window with a request for permissions to grant the bot access to the user's information appears, confirmation is required.

Lingvanex Language Translation Bot is requesting permission to access the NordicWise LLC Slack workspace				
Wh viev	at will Lingvanex Language Translation Bot be able to v?			
2	Content and info about you			
Wh do?	at will Lingvanex Language Translation Bot be able to			
Wh do?	at will Lingvanex Language Translation Bot be able to			

Also in the */config-my-translate* settings you can set the source language from which all messages sent by the user will be translated.



Translation of direct messages

To translate direct messages you need to use bot commands:



- /translate dst_lang text (for example: /translate es Hi Michael, how are you?)
- */translate-from src_lang dst_lang text* (for example: /translate-from en fr Hi Michael, how are you?)



You can also hover over the message, click on *More Actions* (:) and select *Translate this message Lingvanex Translator Bot*. After that, a window will appear displaying the selected message, and the languages for translation of the message are also selected. Messages translated this way may be visible only to you or to everyone in the channel.





Translator bot commands

- /translate dst lang text translates the message, the language code or codes into which the message is translated is specified (for example: /translate es Hi Michael, how are you? or /translate [es, fr, de] Hi Michael, how are you?)
- /translate-from src_lang dst_lang text translates the message, specifying the source language code from which the message is translated and the target language code (or several codes) into which the message is translated are specified (from example: /translate-from en fr Hi Michael, how are you? or /translate-from en [es, fr, de] Hi Michael, how are you?).
- /*config-channel-translate* automatic translation settings, setting languages for translation of messages in the channel, as well as adding paid subscription in the channel (only for the workspace admin, the workspace owner or the channel creator).
- */config-my-translate* user settings, the language in which the user writes messages is set.
- */get-languages* command enabling to get the codes of available languages



Add or change languages

In order to change translation languages in the channel, the workspace admin, the workspace owner or the channel creator should go to the channel, then enter the */config-channel-translate* command in the channel.

After that a window will appear where you can add, change or delete languages.

K Chann	el Settings	D	×
Channels to confi	gure		^
Direct Message	s with Lingvanex Bot $ imes$		
Automatic transla	tion (optional)		
Enable autom	atic translation in selected channels		
Languages for tra (optional) You can select up	nslation in the channel (attached to t to 10 items.	he message)	
English [en] $ imes$			
Languages for tra You can select up	nslation in threading (optional) to 10 items.		
Arabic [ar] \times	Chinese (Simplified) [zh-Hans] $ imes$		
Select the default autodetect) (optio	source language for the channel (or onal)	leave empty f	ör
Select language		~	
Reset subscription	n access for the channels	Reset	
	Close	Subm	it

Lingvanex

FAQ

Bad or incorrect translation of the message:

- this can happen because the message text was too short, causing the language autodetect to work incorrectly. If you have not set the language you use for messages, use the */config-my-translate* command and set the language there.
- or this can happen because the language has already been set with the /config-my-translate command, but you have written a message in a different language. If you write messages in more than one language, it is recommended not to set the language using the /config-my-translate command.

The message in thread is not translated, there is no translation under my message:

• this behavior of the bot is due to the fact that it cannot identify the user, since the user has not granted the bot access to the user's information. All translations will be added to threads regardless of channel settings. To fix this, enter the */config-my-translate* command in the channel and then click the Allow button.

Where can I find the language codes used in /translate commands?

• you can find the codes of available languages by entering the /getlanguages command

How to Add a Bot to Enterprise Slack

To add a bot to Enterprise Slack, follow these steps:

- Open your Enterprise Slack dashboard.
- Navigate to the Integrations section.
- Find and open the Installed apps tab.
- Click Manage APP, then select Install an app.
- In the App Directory, search for Lingvanex Translator.
- Go to the bot's page and click Add to Slack.

The bot will now be installed and ready to use in your Enterprise Slack. !!! Recommendation, before installing the bot in enterprise Slack, we recommend removing the bot from all workspaces.



Technical support

If you encounter any issues while using the translator, you can seek assistance from our technical support department. To contact them, send an email to support@lingvanex.com and provide the following information:

- A clear description of the problem and actions taken before the issue occurred (for example: chatbot for slack)
- Any attempted solutions to resolve the problem
- If an error message is displayed, please include the exact text or a screenshot of the message

Lingvanex

Machine Translation

Utilize Lingvanex Translation API to develop new solutions and applications. Integrate translation software into your business processes with ease.

- High-quality translation into 109 languages
- Seamless integration with full privacy protection
- Works without an internet connection

Learn more about our platform and experience a free trial at: <u>https://lingvanex.com/en/machine-translation/</u>



Contact information: Lingvanex 52 1st April, 7600 Larnaca Cyprus Email: info@lingvanex.com

Note: Information in this document is subject to change without notice. Lingvanex and the Lingvanex logo are registered trademarks. All other trademarks are the property of their respective owners. ©2024. All rights reserved.